



How to Install an **Electrical Raceway**

Tools Needed







Needle-nose Pliers



Flathead Screwdriver or 1/4" Nut Driver

Step One Turn off power at electrical entrance



Please disconnect power at service entrance BEFORE beginning installation and connection of electrical raceway

Step Two Install back of raceway

Open the electrical raceway and separate the cover and back from each other. Place the back of raceway inside cabinet, 1/4" from left side and 1" from the top left corner of the cabinet.

Align the middle set of screw holes with the wooden cross-member cleat in cabinet. (Optional: pre-drill holes in cleat).







Step Three Install screws

Install raceway back by anchoring screws into the middle section first. Using small level, make sure raceway is plumb, then anchor just one screw into left bottom set of screw holes.





Step Four Connect green ground wire

With raceway cover in hand, locate green ground wire. Attach the wire to the remaining screw hole on back of raceway with provided screw and star washer.





Make certain that the star washer is pinched between the electrical raceway and the terminal on the grounding wire. Star washer should break the paint surface when tightened.



Step Five Connect power

Pigtails are provided for connecting power and are located in the lower part of the electrical raceway for hookup to supply line. Please be sure your power is shut off at service entrance before proceeding.

The supply line enters through the vent hole in the top left side of the cabinet, then through the electrical knockout provided in top of electrical raceway.

Connect white to white, black to black.





Step Six Install new outlet

After connecting unit to main power, install the raceway cover. Place cover over back part that is already installed. Hold in place and secure bottom by installing screw by electrical outlet. Then install screw at top of raceway.





Step Seven Restore power



After re-installing the raceway, it is now safe to restore power to the unit.

Installation Complete!

